



**BID NO. 25-009
MEDICAL SUPPLIES**

ADDENDUM NO. 1

August 28, 2025

This addendum shall modify and become a part of the bid document. Specifications not specifically mentioned in this Addendum are not altered by any changes, amendments, deletions, or additions.

Amendments to the Bid Document:

1. The bid submission date has been changed to the following date and time.

Friday, September 5, 2025 at 3:00 pm

2. The Bid Proposal Form has been updated to reflect the questions below.

Reference the updated version of Attachment A Bid Proposal Form.

Reply to Requests for Information:

1. These lines are no sub but do not have the correct mfg item#. Please provide the correct # for each size. 8888264929 is a 12FR 8888264945 is a 14fr.

52	Dual Lumen Stomach Tube 6F (#8888264929)	Dual Lumen Stomach Tube 14F 8888264945
53	Dual Lumen Stomach Tube 8F (#8888264929)	
54	Dual Lumen Stomach Tube 10F (#8888264929)	
55	Dual Lumen Stomach Tube 12F (#8888264929)	
56	Dual Lumen Stomach Tube 16F (#8888264929)	
57	Dual Lumen Stomach Tube 18F (#8888264929)	

The manufacturer numbers have been corrected. Reference the updated version of Attachment A Bid Proposal Form.

2. The lines below are incorrect. Resus Packs are sizes 3-5 and single tubes are 1.5, 2 and 2.5. Please correct.

83	i-gel O2 Resus Pack Size 1.5
84	i-gel O2 Resus Pack Size 2
85	i-gel O2 Resus Pack Size 2.5
86	i-gel Single Airway Size 3
87	i-gel Single Airway Size 4
88	i-gel Single Airway Size 5

The descriptions have been updated. Reference the updated version of Attachment A Bid Proposal Form.

3. Are you looking luer lock or luer slip for the lines below?

1	1 cc Syringes (100/bx) (Luer Lock); Luer Slip Tip TB Syringe with Cap 1ml
2	10 cc Syringes (100/bx) (Luer Lock); Luer Slip Tip TB Syringe with Cap 1ml

Luer Lock. Reference the updated version of Attachment A Bid Proposal Form.

4. Need mfg name/item# for this line

12	Airway Adapter Pedi/Adult
----	---------------------------

This item has been removed. Reference the updated version of Attachment A Bid Proposal Form.

5. What is the difference between these 2 lines and how many are in a case?

15	Arm Boards, Short; 2" x 6"; IV Administration boards Vinyl		20	case
16	Armboard Infant Disposable; 2" x 6"		30	case

The item descriptions have been updated. Reference the updated version of Attachment A Bid Proposal Form.

6. Should one of these be "infant"?

29	Blood Pressure Cuff, Child Manual; Latex Free 2 Tube Veridian Health Care
30	Blood Pressure Cuff, Pediatric Manual; Latex Free 2 Tube Veridian Health Care

These items have been updated. Reference the updated version of Attachment A Bid Proposal Form.

7. This item has been discontinued. Please provide a new item#

46	Cpap Sets	o-Two Medical Technologies # O1CVO211-CS
----	-----------	--

The item number has been updated. Reference the updated version of Attachment A Bid Proposal Form.

8. Are these disp or reusable? Metal or plastic? Conventional or Fiber optic?

98	Laryngoscope Blade MIL #1
99	Laryngoscope Blade MIL #2
100	Laryngoscope Blade MIL #3
101	Laryngoscope Blade MIL #4

Reusable and Metal for all sizes. Reference the updated version of Attachment A Bid Proposal Form.

9. The item numbers listed in the Vendor Item Number column for line 25 and 26 does not match the description and also does not allow us to remove and enter our item#. Also line 28 is highlighted as NO SUB but does not provide the correct MFG Item #. We will need an updated spreadsheet in order to fill in our information.

	A	B	C	D	E
		Description	Manufacturer's Item Number	Vendor's Item Number	
25		Blood Pressure Cuff, Adult for Zoll X Series , Size 11 Arm (Blue)	REVSE-10-2MQ REVSE-11-2MQ	REVSE-13-2MQ	
26		Blood Pressure Cuff, Adult Large for Zoll X Series , Size 12 Arm (Burgandy)	REVSE-12-2MQ	REVSE-09-2MQ	
27		Blood Pressure Cuff, Adult Regular and Large Adult Manual			
28		Blood Pressure Cuff, Child for Zoll X Series , Size 15-21 cm			
29		Blood Pressure Cuff, Child Manual Latex Free 2 Tube Medical Health Care			

The item numbers have been updated. Reference the updated version of Attachment A Bid Proposal Form.

10. Will you allow price changes at renewal time by the manufacturer increase?

Below is our term relating to price increases that will be in the agreement.

Pricing may be adjusted upon each annual renewal based on the percent change in the Consumer Price Index, All Urban Consumers, for the Miami-Fort Lauderdale Region from June to June of each prior and renewal year, as published by the United States Department of Labor. Notwithstanding the term, the parties may terminate this Agreement as stated herein.

11. Is DocuSign an acceptable form of signature?

Yes.

12. If you could clarify a few things for this bid:

Line items:

36-39 Cardboard splints- are these full foam? Center foam, side foam? No foam?

Line 60 Electrode Pediatric- need- mfg.? product code?

Line 80 Gauze Sterile 4x4 12 ply- what packaging?

Line 154 Pediatric Defib Pads- need mfg. and part number

Line 157 Probe Oral & Well Kit can you provide a mfg. and part number?

Line 161 Restraint strap what are the ends? Loop? Clips?

Line 175 Silvon Elctrodes, what is the part number?

Line 205 VentFLO Adult Cannula- can you provide the part number?

These items have been updated. Reference the updated version of Attachment A Bid Proposal Form.

13. Section 2-10 and Section III discussed delivery but please clarify whether these items would be all be delivered to facilities or are there any direct to patient home deliveries. Based on Section III, it appears they are all EMT and Paramedic facilities.

The purpose of this solicitation it to provide medical supplies to the City in order for us to provide EMT and Paramedic Services to the community. Per Section II, Item 2-10 Delivery Location is as follows:

City of Greenacres

Fire Rescue Station 94

Attn: Mark Jakubek

2995 South Jog Road

Greenacres, FL 33467

- 14. Historically, have these items been ordered one at a time or are they generally grouped with a bulk of other items? We need to be able to incorporate shipping costs based on ordering patterns, if possible.**

Items are ordered on an “as needed” basis through the City’s fiscal year (October 1 through September 30).

- 15. Regarding the Nitrile Gloves on lines 118-122, we are unable to locate the same gloves (nitrile) from any previous orders. Do you have a previous bid tabulation that reflects the nitrile gloves? The previous bid tabulation 24-004 only reflects latex gloves.**

The Fire Rescue Department decided to switch from Latex Gloves to Nitrile Gloves.

- 16. Also regarding the Nitrile Gloves (lines 118-122), how often are orders placed? In addition, how many cases of gloves are generally ordered at one time?**

The Bid Proposal Form indicates the order quantity for the year. Items are ordered on an “as needed” basis. However, gloves are typically ordered every two weeks. A typical order usually consists of 5 cases of one size and 2 of another. However, timing and quantity are dependent on call volume.

- 17. We need clarification on the glove dispenser requested. Enamel or plastic? Single or Triple (dimensions of for a single)**

82	Glove Dispenser Triple Enamel; clear plastic 5.70w x 9.85 H x 3.95D
----	---

The item description has been updated. Reference the updated version of Attachment A Bid Proposal Form.

- 18. The line below request 2 different sizes of BP Cuffs. These are not the same price. We will need 2 separate lines for these.**

27	Blood Pressure Cuff, Adult Regular and Large Adult Manual
----	---

This item has been separated into two. Reference the updated version of Attachment A Bid Proposal Form.

- 19. Line 123 and 124 are both N95 masks but both state in their descriptions “Medum and Large”. Item 1513 in line 123 is the Large size. Is line 124 supposed to be the Medium size?**

The description on the Bid Proposal Form is correct.

- 20. Line 52 lists two items 6F and 14F “Dual Lumen Stomach Tube 6F (#8888264929); Dual Lumen Stomach Tube 14F 8888264945” what item is this line supposed to represent and is there a additional line that needs added for the other item?**

The item description has been updated. Reference the updated version of Attachment A Bid Proposal Form.

21. Can you please provide the manufacturer item numbers for the following lines to ensure the correct version is bid? Lines 83, 84, 85, 86, 87 and 88.

The manufacturer numbers have been added. Reference the updated version of Attachment A Bid Proposal Form.

22. Page 5 of file “25-009 Medical Supplies” states “City requires a firm price for the agreement period. – Failure to hold prices firm through the entire agreement term will be grounds for agreement termination.” Is “entire agreement term” defined as 4 years (1 year + 3 optional 1 year renewals) or is it only defined as the initial 1 year term?

Pricing is to be held for each term (one year). Change in pricing may be requested at renewal. Below is our term relating to price increases that will be in the agreement.

Pricing may be adjusted upon each annual renewal based on the percent change in the Consumer Price Index, All Urban Consumers, for the Miami-Fort Lauderdale Region from June to June of each prior and renewal year, as published by the United States Department of Labor. Notwithstanding the term, the parties may terminate this Agreement as stated herein.

23. If the “entire agreement term” is defined as 4 years; It is not possible for bidders to control cost changes that inevitably happen. Can price changes be offered at renewal, 30 days prior to expiration, or some other accommodation means, and the City can then decide if they want to renewal or not? Decision not leaving the bidder in default if either party chose not to renew?

Change in pricing may be requested at renewal. Below is our term relating to price increases that will be in the agreement.

Pricing may be adjusted upon each annual renewal based on the percent change in the Consumer Price Index, All Urban Consumers, for the Miami-Fort Lauderdale Region from June to June of each prior and renewal year, as published by the United States Department of Labor. Notwithstanding the term, the parties may terminate this Agreement as stated herein.

24. Will price changes be allowed at time of occurrence caused by tariffs or other changes out of the control of the bidder?

Change in pricing may be requested at renewal. Below is our term relating to price increases that will be in the agreement.

Pricing may be adjusted upon each annual renewal based on the percent change in the Consumer Price Index, All Urban Consumers, for the Miami-Fort Lauderdale Region from June to June of each prior and renewal year, as published by the United States Department of Labor. Notwithstanding the term, the parties may terminate this Agreement as stated herein.

25. Can a due date extension be applied if Q&A take many days to be answered?

The bid submission date has been changed to Friday, September 5, 2025 at 3:00 pm.

26. Can you please provide the manufacturer item number for Line 3 - 2 port AMSafe Needleless IV Sets/10 drop; 10 drop ml 83"?

The manufacturer numbers have been added. Reference the updated version of Attachment A Bid Proposal Form.

27. Can you please provide the manufacturer item number for Line 4 - 2 port AMSafe Needleless IV Sets/60 drop; 60 drop ml 83"?

The manufacturer numbers have been added. Reference the updated version of Attachment A Bid Proposal Form.

28. Kindly specify the capacity (lbs) and size of the products for Item 117 Mega MoversPlus Stretcher.

The item description has been updated. Reference the updated version of Attachment A Bid Proposal Form.

29. Please clarify can we provide an alternate product with white/blue color, palm thickness 6.8 mil and finger thickness 8.2 mil for Items 118-122.

No alternate will be accepted.

30. Kindly provide us the exact size of these products.

152	Oval Eye Pads
153	Oxygen Tubing (50/cs)
154	Pediatric Defibrillator Pads
155	Pen Lights
198	Tape, 1 in Clear Porous Tape (12/bx)
199	Tape, 2 in Clear Porous Tape (12/bx)
200	Tape, 3 in Clear Porous Tape (12/bx)
174	Silver Swaddler Baby Blanket
31	Bulb Syringes

The item descriptions have been updated. See attached for the updated version of Attachment A Bid Proposal Form

31. Kindly specify which type of product is required here: straight or coiled catheter (Items 177-183).

The item descriptions have been updated. See attached for the updated version of Attachment A Bid Proposal Form

32. Kindly specify the color and latex or latex-free tourniquets (Item 204).

Latex Free; Color does not matter. See attached for the updated version of Attachment A Bid Proposal Form

33. Kindly specify which type of product is required here: luer lock or luer slip (Items 1 & 2).

The item descriptions have been updated. See attached for the updated version of Attachment A Bid Proposal Form

34. Kindly specify which type of product is required here: Disposable or Reusable (Items 98-101).

The item descriptions have been updated. See attached for the updated version of Attachment A Bid Proposal Form

35. The following items were submitted for approval as equivalents.

- **Line# 3; 2 port AMSafe Needleless IV Sets/10 drop; 10 drop ml 83"**
 - **Bound Tree offer 1712-58031 - Curaplex 3-in-1 Multi-Drip Chamber IV Set 50ea/cs**

Approved.

- **Line# 4; 2 port AMSafe Needleless IV Sets/60 drop; 60 drop ml 83"**
 - **Bound Tree offer 1712-58031 - Curaplex 3-in-1 Multi-Drip Chamber IV Set 50ea/cs**

Approved.

- **Line# 11: AirLife Misty Max Small Volume Nebulizer **(Must be complete set)**
 - **Bound Tree offer 412046 - NEBULIZER WITH MOUTHPIECE FLEXTUBE AND 7 FT U/CONNECT-IT TUBING MISTY MAX 10 50/cs**

Approved.

- **Line# 52 through 57; Dual Lumen Stomach Tube 6F through 18F (#8888264929)**
 - **Bound Tree offer Med Plus items 8888268060 – 6F, 8888268086 – 8F, 2231-91110 - 10F, 2231-92912 – 12F, 2231-96016 – 16F, 2231-98618 – 18F**

Approved.

- **Line# 110 through 115; MedSource ClearSafe Comfort Safety IV Catheters**
 - **Bound Tree offer Curaplex® CuraSlide™ Safety IV Catheters: 1612-84110 - 14GA, 1612-84120 - 16GA, 1612-84130 – 18GA, 1612-84140 – 20GA, 1612-84150 – 22GA, 1612-84160 – 24GA**

Approved.

- **Line# 118 through 122; PowerForm Nitrile Gloves White/Green, Extended Cuff**
 - **Bound Tree offer Curaplex® TritonGrip EP X2™ Nitrile Gloves: 1015-47143 – SM, 1015-47144 – M, 1015-47145 – L, 1015-47146 – XL, 1015-47147 – 2XL**
 - **Or Bound Tree potential offer Microflex LifeStar™ EC Exam Gloves: 1015-10401 – SM, 1015-10402 – M, 1015-10403 – L, 1015-10404 – XL, 1015-10405 – 2XL**

Not Approved.

- **Line# 3; 2 port AMSafe Needleless IV Sets/10 drop; 10 drop ml 83"**
 - **Bound Tree offer 1712-10830 - Curaplex IV Admin Set, 10 Drp, 83in, Pre-Prd Y-Site, SrLk Ndle-Free Y Ste, Rotat Male LL 50EA/CS**

Approved.

- **Line# 4; 2 port AMSafe Needleless IV Sets/60 drop; 60 drop ml 83"**
 - **Bound Tree offer 1712-60830 - Curaplex IV Admin Set, 60Drp, 83in,PP Y-Site, Sure-Lok Ndle-Free Y-Site, Rotat Male LL 1/EA 50EA**

Approved.

The proposal submission deadline is Friday, September 5, 2025 at 3:00 PM. Any proposal response received after the designated closing time will be returned unopened.

Any questions concerning this Addendum should be addressed to Monica Powery, Director of Purchasing at (561) 642-2039.

All Proposers shall acknowledge receipt of this addendum by annotating the proposal signature page with the addendum number, completing the section below, and returning with the proposal response to verify receipt.

Company Name: _____

Address: _____

City, State, and Zip Code: _____

Authorized Signature: _____

Name and Title: _____

Telephone: _____ Date: _____